

Pistachio

Rootstocks and Cultivars

Louise Ferguson PhD
Plant Sciences Department
University of California Davis
LFerguson@ucdavis.edu
+(1) 559-737-3061

UCDAVIS

DEPARTMENT OF PLANT SCIENCES

College of Agricultural and Environmental Sciences

Pistachio rootstocks budded 3 months after planting



Commercial rootstocks in California (1970s to present)

Rootstock	Name	Characteristic
<i>P. terebinthus</i>	Terebinthus	Verticillium Susceptible
<i>P. atlantica</i>	Atlantica	Verticillium Susceptible
<i>P. integerrima</i>	PG1	Verticillium Resistant; Frost Sensitive; Seedling
Interspecies hybrids		
<i>P. atlantica</i> 'KAC' x <i>P. integerrima</i>	UCB-1	Verticillium Resistant; Frost Tolerant; Salinity tolerance; Seedling; Clone
<i>P. integerrima</i> x <i>P. atlantica</i>	Platinum®	Verticillium resistant selection clonally propagated

Varieties and Rootstocks:

- **TURKISH, AMERICAN AND IRANIAN:**

- **California:**

- **Kerman (Peter)**

- **Iranian:**

- **Turkish:**

- **Siirt**





Akbari



Ahmad-Aghaei




Fandoghi



Kalle-Ghoochi



Badami Sefiid



Mumtaz

LOUISE FERGUSON PHD
LFERGUSON@UCDAVIS.EDU
+(1) 559-737-3061

UCDAVIS

DEPARTMENT OF PLANT SCIENCES

College of Agricultural and Environmental Sciences